



# BUILT FOR EVERYONE, EVERYWHERE.



### 

Canopy tents made for people and businesses just like you.

**ECOTENT**.



## TABLE OF Contents

ECOTENT.



& Sustainability

# **MEET ECOTENT®**

New, bold, and dynamic. As the newest Zingerle Group<sup>®</sup> brand, Ecotent<sup>®</sup> combines our long-standing expertise and 30 years of manufacturing experience with a fresh new approach in the canopy tent market.

Our high-quality tent construction rises beyond the average pop-up at attractive prices for any budget.



DIRECTLY FROM THE MANUFACTURER As a Zingerle Group® Brand, every Ecotent® is built entirely in-house! Connect with our Product Experts for product advice and assistance outfitting your next project.

sales.usa@zingerle.group 980-580-0930

6965 Northpark Blvd, Suite N Charlotte, NC 28216



#### HERE, THERE, ANYWHERE

Let Ecotent<sup>®</sup> help you get where you need to go. With our expert guidance, you can find the perfect Ecotent<sup>®</sup> for your needs without all the guesswork. For quick shopping, product specs, customizations and more, rely on Ecotent's Product Experts before, during, and after purchase. We've got you covered.

Lifetime

Customer

Care



2

Tried, Tested and Certified Performance The Ultimate Price to

**Quality Match** 

### LASTING QUALITY, 1-2 MINUTE SET UP







### A HIGH PERFORMANCE POP-UP TENT

The perfect combination of a quick-folding pop-up tent design and commercial-grade quality and performance. Even our largest tents unfold and set up in minutes and can be handled with 1-2 people. Tool free too!



Scan here to watch the Set-Up Video!

SETTING UP YOUR ECOTENT®

### ECOTENT® SERIES

	E1*	E2"	<b>E3</b> •
Tent Sizes	10x10ft • 15x10ft 20x10ft • 13x6.5ft 13x13ft • 20x13ft 26x13ft	5x5ft • 6.5x6.5ft 10x5ft • 10x6.5ft 10x10ft • 15x10ft 20x10ft	10x10ft • 15x10ft 20x10ft
Frame Material	All-Aluminum	Aluminum & Glass-Fiber Reinforced Plastic	Aluminum & Glass-Fiber Reinforced Plastic
Fabric Material	Oxford 500D	Oxford 250D	Oxford 250D NFR
Foot Plate Material	Aluminum	Galvanized Steel	Galvanized Steel
Leg Profile	46mm	43mm	32mm
Frame Thickness	2.5mm	2mm	2mm
Truss Profile	30 x 15 x 2.8mm	28 x 15 x 2mm	28 x 15 x 2mm
Height Adjustability	2-3 Levels	3 Levels	3 Levels
Set-Up Push Button	*	•	•
Protective Interior Leg Gliders	*		
Corner Clip	*		

### WHAT SIZE FITS YOUR PROJECT?

5x5ft <b>E2</b>	6.5x6.5ft <b>E2</b>	10x5ft <b>E2</b> *	10x6.5ft <b>E2</b>
10x10ft E1* E2" E3*	15x10ft E1* E2" E3*	20x10ft E1* E2" E3*	13x6.5ft <b>E1*</b>
13x13ft E1*	20x13ft E1*	26x13ft E1*	

The right size for every situation. From a small, personal 5x5ft, our best-selling 10x10ft, or a crowd-ready 26x13ft, Ecotent<sup>®</sup> has you covered!

Thinking even bigger? Ask our Product Experts about multi-tent systems for your biggest projects.

E1*	Weight	Entrance Height	Peak Height	Pack Size
10x10ft	72lbs (32.7 kg)	6'7''	10'7''	17.3 x 16.5 x 62"
15x10ft	93lbs (42.4kg)	6'7''	10'7''	23 x 16.5 x 62"
20x10ft	1241bs (41.3kg)	6'7''	10'7''	28.3 x 16.5 x 62"
13x6.5ft	67lbs (42.2kg)	7'	יוו	17.3 x 12 x 81"
13x13ft	91lbs (56.2kg)	7'	12'7''	17.3 x 16.5 x 81"
20x13ft	118lbs (53.4kg)	7'	12'7''	22.8 x 16.5 x 81"
26x13ft	157lbs (71.3kg)	7'	12'7''	28.3 x 16.5 x 81"
E2"				
5x5ft	63lbs (28.5kg)	6'7''	8'2"	17.3 x 16.5 x 62"
6.5x6.5ft	63lbs (28.5kg)	6'7''	9'6"	17.3 x 16.5 x 62"
10x5ft	63lbs (28.5kg)	6'7''	10'	17.3 x 16.5 x 62"
10x6.5ft	63lbs (28.5kg)	6'7''	9'6"	17.3 x 16.5 x 62"
10x10ft	63lbs (28.5kg)	6'7''	10'7''	17.3 x 16.5 x 62"
15x10ft	80lbs (36.4kg)	6'7''	10'7''	23 x 16.5 x 62"
20x10ft	111lbs (50.3kg)	6'7''	10'7''	28.3 x 16.5 x 62"
E3•				
10x10ft	49.5lbs (22.4kg)	6'7''	10'7''	17.3 x 16.5 x 62"
15x10ft	64lbs (29kg)	6'7''	10'7''	23 x 16.5 x 62"
20x10ft	88lbs (39.9kg)	6'7''	10'7''	28.3 x 16.5 x 62"

#### 10



### **OXFORD FABRIC**

Our Oxford fabrics stand up just as strong as our tent frames. A double-weave polyester, our Oxford tent fabrics are available in 500D and 250D varieties. Both options are highly-durable, certified fire-retardant, tested to be 100% waterproof, and sewn for wind-resistancy. Strong and stylish, our Oxford fabric line is available in 12 standard (but vibrant!) fabric colors and can be paired with your logo or fully-printed with edge-to-edge graphics.

**OXFORD 500 OXFORD 250** OXFORD 250 NFR

### **OXFORD FABRIC COLORS**







Wind Ready



### RECYCLED **FABRIC**



The Recycled fabric line offers three earthy tones made entirely from 100% recycled materials. This polyester fabric repurposed old PET plastic bottles to reduce waste that would otherwise end up in landfills or oceans.

#### **RECYCLED FABRIC COLORS**






### PRINTING YOUR ECOTENT®



#### SPOT LOGOS AND GRAPHICS THERMAL PRINTING

Add a logo, tagline, or any individual spot graphic to your tent rooftop or sidewalls with this high-quality heat transfer printing!



#### **IN-HOUSE GRAPHICS DESIGN TEAM**

Our team is here to help you design your dream canopy tent!

We'll take your ideas - and your logo files - and bring them to life in your own personal canopy tent design. Our free design services are all part of the Ecotent<sup>®</sup> experience.

Want to design your tent yourself? Our team can supply templates and advice as needed!








Make Your Design 100% Your Own In-House Graphic Design Assistance Ready for Every Creative Idea

#### EDGE-TO-EDGE GRAPHICS DYE-SUBLIMATION PRINTING

With full-surface printing that embeds the inks deep into your tent fabrics, our dye-sublimation printing process allows you to create completely custom designs, patterns, and colors.



### TAKE YOUR CHOICE OF SIDEWALLS

Highly flexible, our canopy tent sidewalls easily attach in any combination of styles and arrangements for optimal wind, sun, and rain protection thanks to our weather-ready fabrics.

Available in 4 models: Closed, Roll-Up Door, Window, and Half-Height each sidewall can be customized to your choice of fabric material, farbic color or printed design.







SIDEWALLS





#### **HIDDEN ZIPPER SIDEWALLS**

Our E1 line of sidewalls offer even more stability and weather protection by adding hidden zippers to attach sidewalls to the tent and to one another. These zippers allow a completely seamless sidewall wrap - perfect for keeping the weather out or showcasing edge-to-edge printing. These upgraded sidewalls run a protective lower panel of PVC reinforcement at their bottom edge to protect from dirt and debris along the ground.



Wind Ready

#### **MOUNTING YOUR SIDEWALLS**

All Ecotent sidewalls mount to your canopy tent along the tent's roofline as well as down the legs of the tent through the use of heavy-duty Velcro.







### ALL-AROUND ACCESSORIES

Complete your canopy tent package with accessories to provide the right support anytime, anywhere. From transport and securing to lighting and flags, Ecotent<sup>®</sup> has you covered!



#### **UTILIZING CANOPY TENT ACCESSORIES**

Make everyday life easier with accessories designed for simplicity and function. From easy, clip-on transport wheels to attachable LED lighting, make going mobile simple, comfortable, and stylish. Don't forget canopy tent securing for smart use in tough weather.

#### Bonus!

Every Ecotent® comes with a free heavy-duty PVC transport bag.



Tool-Free Use



Strong & Stable



Fast Delivery



### TECHNICAL DETAILS

While every tent may just look like a tent on the surface, the attention to detail and thoughtfulness of construction create fundamental changes in the look, performance, and usability of your tent.



#### **ROOF TENSIONING STRAPS**

Lining the interior of your tent's valance, these adjustable Velcro straps bring added tension to your tent rooftop. That tension creates a cleaner presentation, prevents waterpooling, and enhances the visibility of printed designs on your tent's rooftop.



**PUSH BUTTON CORNER CLIPS** 

When the day is over and

it's time to pack away your

Ecotent, this protective push

button allows you to unlock

close the tent. No more jams.

pinched fingers, or difficult

the tent structure at each


corner to release and

release systems.



#### SMOOTH SET-UP SLIDERS

A hidden detail for smooth operations. The moving parts of your Ecotent's aluminum structure are padded with surrounding plastic sliders to counteract friction. metal-on-metal wear and tear. and ease every set-up of your canopy tent.



#### **INTERLOCKING FRAME CORNER CAPS**

These rubber frame caps protect your tent's inner workings and roof fabrics from damages by keeping the frame locked in place to minimize friction.



#### **GROOVED ALUMINUM FRAME PROFILE**

High stability, low weight. A third the weight of steel, aluminum doesn't sacrifice stength. Our grooved square leg profile is built larger and thicker for great stability.



#### **EASY PUSH BUTTON** SET-UP SYSTEM

The integrated, spring bolt push buttom system allows for smooth set-up. Pro-Tip: Lift the tent leg, release the push button, and push the footplate to the ground using your foot.



#### **HEAVY-DUTY** FOOTPLATES

Built from either aluminum or galvanized steel, these steadfast footplates stand firmly at the base of each tent leg with presence and stability beyond the average tent.



#### **COLOR-MATCHED VELCRO** AND ROOF TRIM DETAILS

Every Ecotent roof includes the added detail of colormatched interior Velcro for a sleek design. A small detail that adds into making a killer first impression.



### WARRANTIES, CERTIFICATIONS, & SUSTAINABILITY

#### **OUR PRODUCT WARRANTIES**

• 100% Satisfaction Guarantee

- Ltd. Lifetime Manufacturer's Warranty on your Ecotent<sup>®</sup> Frame: Covering material and production defects.
- 1-Year Manufacturer's Warranty on your Ecotent<sup>®</sup> Fabrics: Covering material and production defects.
- 10-Year Spare Parts Availability for your Ecotent® Frame
- Limited Lifetime Anti-Corrosion Warranty for your Ecotent® Frame



Warrantied

#### CERTIFICATIONS

- Every Ecotent<sup>®</sup> is TÜV-Certified by TÜV-SÜD an Industry-Trusted Partner in Product and Safety Testing.
- Ecotent<sup>®</sup> fabrics are certified fire-retardant under safety standards NFPA 701, CPAI-84 Sec. 6, EN 13501-1:2007, and CAN/ULC-S109.\*
  \*The E3 Oxford 250 nFR fabric is excluded from these certifications.
- Our tent fabric materials have successfully tested for their tensile strength,
- Our tent fabric printing inks have received the OEKO-TEX<sup>®</sup>ECO Passport certifying that substances used are not harmful to human health.
- All materials are REACH compliant.



Certified



CEO EU, Managing Director - Georg Zingerle

#### SUSTAINABLE DEVELOPMENT

As a manufacturing group, we work to be constantly aware of the influence on the environment and the ways that we can positively impact the world around us.

Ongoing intiatives like our solar-powered production facility, our recycled fabric material line, and small touches like our scrap fabric totebags are just the beginning in our efforts to take care of our planet and the people and ecosystems who live here.





ECOTENT® USA A Zingerle Group® Brand

sales.usa@zingerle.group 980-580-0930

6965 Northpark Blvd, Suite N Charlotte, NC 28216

www.ecotent.eu/en-us